




# Interlocking Rubber Mat Skymaster® HD Niru® 462

## Product Images



## Short Description

- Resilient Nitrile rubber compound and unique support design offers exceptional fatigue relief
- Bubble top surface for added comfort that is easy to clean
- Easy to snap together mats on-site for custom work station platforms
- Nitrile provides highest level of resistance to chemicals, oils and greases
- Compatible with any of the Skymaster® HD family of mats
- #461 Skymaster® HD Ramps and #469 Safety Line available

## Description

---

Skymaster® HD Niru® is a heavy duty nitrile rubber compound mat for industrial strength that provides the highest degree of resistance to chemicals, cutting fluids, animal fats, oils and greases. Snap together tiles of 3'x3' can be easily assembled for coverage of large areas or individual workstations. Ergonomic benefit derived from a 5/8" thick worker platform with a bubble pattern for maximum fatigue relief in dry industrial environments. The unique design and craftsmanship make the mat easy to handle and easy to install on site. A tooled grid of 12"x12" sections on the underside of the mat makes further customization quick and easy. Available beveled edges prevent tripping and allow inside and outside corners. Range of accessories including Skymaster® HD Yellow Safety line™ and Skymaster® HD i-Curve™ and Skymaster® HD o-Curve™ series.

## Specifications

Model No	462S0033BL
Color	Black
Dimensions	3ft x 3ft
Thickness	5/8in
UPC	662641844759
Special Price Type	Sale
Available Colors	Black
Overall Thickness	5/8
Standard sizes	3'x3'
Group	Ergonomic, Anti-fatigue & Safety Matting
Environment	Dry Areas
Special Characteristics	Available yellow borders along sides comply with OSHA code 1910-144   Free of DOP, free of DMF, free of ozone depleting substances, free of silicone and free of heavy metals   Resistant to most chemicals
Recommended Use	For placement in manufacturing plants, assembly lines, picking, packing and logistics warehouses, individual work stations.
Special Remarks	Heavy duty Nitrile rubber compound that can be used with all Skymaster® HD series of products. Use Skymaster® HD i-Curve™ and Skymaster® HD o-Curve™ to continue around curved workstations
Surface	Industrial Bubble Pattern
Edges	Attachable beveled edges are available
Usage Intensity	Heavy duty
Material Specifications	100% Nitrile rubber
Process	Compression Molding
Pallet Quantity	36
Weight Lbs/sqft	2.6
Thickness Inch	5/8in

Fire Rating US	Pass
REACH Compliant	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).
Anti-Fatigue Rating	Best
Slip Resistance Rating	Best
Wear Resistance Rating	Best