

---

# 425S2472BL

## Product Images

---



## Short Description

---

- Ideal standing mat for desk in a home office or as a workstation mat in industrial environments
- Highly resistant to grease, oils and animal & vegetable fats
- Durable, lightweight rubberized gel foam is easy to pick up and move
- Ergonomically designed standup mat that provides high level of rebound without bottoming out
- Non-allergenic, silicone-free compound. Anti-bacterial.

## Description

---

Superfoam™ Revive RS standing mat is a durable rubberized gel foam mat designed for extreme ergonomic comfort. Made from a completely closed cell foam, Superfoam™ Revive RS standing mat does not absorb liquids and is highly resistant to grease, oils and animal and vegetable fats. Super soft upper layer and a dense under layer with mildew-proof antibacterial formulation makes the mat itself more hygienic and long lasting. This anti-fatigue mat is ideal for workers standing for long periods of time, bathrooms or kitchens. This is the best standing desk mat, perfect for home office and durable enough for industrial use.

## Specifications

Model No	425S2472BL
Color	Black
Dimensions	2ft x 6ft
Thickness	3/4in
UPC	662641887558
Brand	NoTrax
Available Colors	Black
Standard sizes	20x24", 24x40", 24x72", 36x40", 36x60"
Group	Ergonomic, Anti-fatigue & Safety Matting
Environment	Wet/Dry and Oily Areas
Special Characteristics	Free of DOP, free of DMF, free of ozone depleting substances, free of silicone and free of heavy metals   Resistant to most industrial fluids and chemicals
Recommended Use	Ideal for stationary standing workstations, sit-stand desks, packing stations, office environments, reception areas, wait stations, service counters, cashiers
Special Remarks	Extremely light-weight, designed for ease of handling in areas where mats are regularly moved for cleaning
Edges	Beveled edges on all sides
Usage Intensity	Medium duty
Material Specifications	Durable closed cell foam blend rubberized sponge
Surface Detail	Raised Grid Pattern
Process	Foaming
Pallet Quantity	15
Weight Lbs/sqft	1.3
Thickness Inch	3/4in
Fire Rating US	Pass

REACH Compliant	Reach compliant (Registration, Evaluation, Authorization and Restriction of Chemicals).
Anti-Fatigue Rating	Superior
Slip Resistance Rating	Best
Wear Resistance Rating	Best